

MATERIAL SAFETY DATA SHEET

Issued: August 6, 1992
REVISED: February 2, 2010

SECTION 1: PRODUCT INFORMATION

Product Name: Cem-Kote Flex GP, Component A
Manufacturer: GEMITE PRODUCTS INC.
Address: 1787 Drew Road, Mississauga, ON L5S 1J5
Emergency Phone: US: 888-443-6483 CANADA: 905-672-2020
Chemical Family: PORTLAND CEMENT BASED POWDER AND ACRYLIC LATEX ADMIXTURE

CASRN:
T.D.G. Classification:

SECTION 2: HAZARDOUS INGREDIENTS

	%	TLV	CAS NO.
PORTLAND CEMENT	25		65997-15-1
SILICA SAND	50		68855-54-9

All other ingredients are non-hazardous

SECTION 3: PHYSICAL DATA

Physical State : TWO-COMPONENT, DRY POWDER & LIQUID ADDITIVE
Odour & Appearance : NO ODOUR, GREY OR WHITE POWDER,
ACRYLIC ODOUR, MILKY WATER BASED LATEX ADMIXTURE
Vapour Pressure : N.A.
Vapour Density : N.A.
Evaporation Rate : N.A.
Boiling Point : N.A.
Specific Gravity : 2.51 (DRY POWDER); 1.01 LATEX ADMIXTURE
Solubility in Water : PARTLY SOLUBLE
pH of 5% solution:
pH of 0.5% solution:

SECTION 4: FIRE & EXPLOSION DATA

Flammability: NONFLAMMABLE
Extinguishing Media: N.A.
Special Procedures: N.A.
Flash Point: N.A.
Auto Ignition Temp: N.A.
Hazardous Combustion Products: N.A.
Explosion Hazards: NO FIRE OR EXPLOSION HAZARDS

SECTION 5: REACTIVITY DATA

Conditions Contributing to Instability: Dry powder reacts with water
Incompatibility: Acids
Hazardous Polymerization: Will not occur
Reactivity Conditions: Wet environments
Hazardous Products of Decomposition: None

Cont'd...

, cont'd...

SECTION 6:	TOXICOLOGICAL PROPERTIES
-------------------	---------------------------------

Route of Entry:	EYES, MOUTH, SKIN
Skin Contact:	DRY SKIN
Eye Contact:	SLIGHT IRRITATION TO EYES
Inhalation:	IRRITATION OF THE THROAT
Ingestion:	IRRITATION OF THE THROAT
EFFECTS OF CHRONIC EXPOSURE:	CEMENT DUST CAN CAUSE INFLAMMATION OF THE TISSUE LINING THE INTERIOR OF THE NOSE AND CORNEA OF THE EYE
ACUTE EXPOSURE:	CEMENT AND WET CEMENT MIXTURES CAN DRY SKIN, CAUSE ALKALI BURNS AND IRRITATE THE EYES AND RESPIRATORY TRACT
TLV:	N/A

SECTION 7:	PREVENTATIVE MEASURES
-------------------	------------------------------

Protective Equipment

- Gloves Type:	BARRIER CREAMS, GLOVES
- Respiratory Type:	# 8500 PARTICLE MASK BY 3M OR EQUIVALENT
- Eye Type:	TIGHT FITTING GOGGLES IN DUSTY ENVIRONMENTS
- Footwear:	N.A.
- Clothing Type:	CLOTHING TO PREVENT SKIN CONTACT
Leak/ Spill:	REMOVE BY DRY CLEAN UP METHODS WHICH MINIMIZE THE DISPERSION OF DUST
Waste Disposal:	DISPOSE OF AS COMMON WASTE

HANDLING PROCEDURES**& EQUIPMENT:** MINIMIZE DUST EXPOSURE**STORAGE NEEDS:** KEEP IN DRY STORAGE, protect the latex admixture from freezing

SECTION 8:	APPLICABLE CONTROL MEASURES
-------------------	------------------------------------

Engineering Controls: VENTILATION SHOULD BE SUFFICIENT IN VOLUME AND DISTRIBUTION TO CONTROL DUST EXPOSURE

SECTION 9	FIRST AID MEASURES
------------------	---------------------------

Eye Contact: IRRIGATE WITH LARGE AMOUNTS OF WATER. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS

, cont'd...

Skin Contact: WASH EXPOSED AREAS WITH SOAP AND WATER

Inhalation: MOVE PERSON TO FRESH AIR AND SEEK MEDICAL ATTENTION

Ingestion: INHALATION IN HARMFUL QUANTITIES IS UNLIKELY TO OCCUR, BUT IF INGESTED, DRINK PLENTY OF WATER AND CONSULT PHYSICIAN. DO NOT INDUCE VOMITING.

SECTION 10: OTHER INFORMATION

* Although the information in this MSDS was obtained from sources, which we believe to be reliable, it cannot be guaranteed. In addition, this information may be used in a manner beyond our knowledge or control. This information is therefore provided for advice purposes only, without any representation or warranty express or implied. *

N.A.: NOT APPLICABLE

N.D.: NOT DETERMINED