

Issued: August 6, 1992
Revised: February 2, 2010

MATERIAL SAFETY DATA SHEET

SECTION 1. PRODUCT INFORMATION

PRODUCT NAME: FIBRE-PATCH RM ST
MANUFACTURER: GEMITE PRODUCTS INC.
ADDRESS: 1787 DREW RD. MISSISSAUGA ONT. L5S 1J5
EMERGENCY PHONE: US 888-443-6483 Canada 905-672-2020
CHEMICAL FAMILY: CEMENT GROUT
T.D.G. CLASSIFICATION:

SECTION 2. HAZARDOUS INGREDIENTS

INGREDIENTS	% TLV	CAS NO.
CEMENT	20	65997-15-1
SILICON DIOXIDE	64	14808-60-7

SECTION 3. PHYSICAL DATA

PHYSICAL STATE: DRY POWDER & LIQUID ADMIXTURE
ODOUR & APPEARANCE: NO ODOUR GREY POWDER
ACRYLIC ODOUR WHITE LIQUID
VAPOUR PRESSURE: N/A
VAPOUR DENSITY: N/A
EVAPORATION RATE: N/A
BOILING POINT: N/A
SPECIFIC GRAVITY: 2.54
SOLUBILITY IN WATER: NON-SOLUBLE

SECTION 4. FIRE & EXPLOSION DATA

FLAMMABILITY: NONFLAMMABLE
EXTINGUISHING MEDIA: N/A
SPECIAL PROCEDURES: N/A
FLASH POINT: N/A
AUTO IGNITION TEMP: N/A
UPPER FLAMMABILITY LIMIT: N/A
LOWER FLAMMABILITY LIMIT: N/A
HAZARDOUS COMBUSTION PRODUCTS: N/A
EXPLOSION DATA: NO FIRE OR EXPLOSION HAZARDS

SECTION 5. REACTIVITY DATA

CONDITIONS CONTRIBUTING TO INSTABILITY: STABLE

INCOMPATIBILITY: ACIDS
HAZARDOUS POLYMERIZATION: WILL NOT OCCUR
REACTIVITY CONDITIONS: NONE
HAZARDOUS PRODUCTS OF DECOMPOSITION: NONE

SECTION 6. TOXICOLOGICAL PROPERTIES

ROUTE OF ENTRY: EYES, MOUTH, SKIN
SKIN CONTACT: DRY SKIN
EYE CONTACT: SLIGHT IRRITATION TO EYES
INHALATION: IRRITATION OF THE THROAT
INGESTION: IRRITATION OF THE THROAT
EFFECTS OF CHRONIC EXPOSURE: CEMENT DUST CAN CAUSE INFLAMMATION
OF THE TISSUE LINING, THE INTERIOR
OF THE NOSE AND CORNEA OF THE EYE
ACUTE EXPOSURE: CEMENT AND WET CEMENT MIXTURES CAN DRY
SKIN, CAUSE ALKALI BURNS AND IRRITATE THE EYES
AND RESPIRATORY TRACT
TLV: N/A

SECTION 7. PREVENTATIVE MEASURES

PROTECTIVE EQUIPMENT:
GLOVES/ TYPE: BARRIER CREAMS, GLOVES
RESPIRATORY/ TYPE: # 8500 PARTICLE MASK BY 3M OR EQUIVALENT
EYE/ TYPE: TIGHT FITTING GOGGLES IN DUSTY
ENVIRONMENTS
FOOTWEAR/ TYPE: N/A
CLOTHING/ TYPE: CLOTHING TO PREVENT SKIN CONTACT
ENGINEERING CONTROLS: VENTILATION SHOULD BE SUFFICIENT IN
VOLUME AND DISTRIBUTION TO CONTROL DUST
EXPOSURE
LEAK/SPILL: REMOVE BY DRY CLEAN UP METHODS
WHICH MINIMIZE THE DISPERSION OF DUST
WASTE DISPOSAL: DISPOSE OF AS COMMON WASTE
HANDLING PROCEDURES
& EQUIPMENT: MINIMIZE DUST EXPOSURE
STORAGE NEEDS: KEEP IN DRY STORAGE

SECTION 8. FIRST AID MEASURES

EYE CONTACT: IRRIGATE WITH LARGE AMOUNTS OF WATER. SEEK MEDICAL
ATTENTION IF IRRITATION PERSISTS
SKIN CONTACT: WASH EXPOSED AREAS WITH SOAP AND WATER
INHALATION: MOVE PERSON TO FRESH AIR AND SEEK MEDICAL ATTENTION
INGESTION: INHALATION IN HARMFUL QUANTITIES IS UNLIKELY TO
OCCUR, BUT IF INGESTED, DRINK PLENTY OF WATER AND

CONSULT PHYSICIAN. DO NOT INDUCE VOMITING.

N.A.: NOT APPLICABLE